

## [2016-New GreatExam Microsoft 70-511 Training Guide Free Download (51-60)]

2016 June Microsoft Official New Released 70-511 Q&As in GreatExam.com! 100% Free Download! 100% Pass Guaranteed!

2016 latest released Microsoft official 70-511 exam question free download from GreatExam! All new updated questions and answers are real questions from Microsoft Exam Center! Following questions and answers are all new published by Microsoft Official Exam Center: (The full version is in the end of the article!!!) QUESTION 51 You use Microsoft .NET Framework 4 to create a Windows Forms application. You write the following code segment. (Line numbers are included for reference only.)

```
01 sealed class FormSettings : ApplicationSettingsBase
02 {
03     public String Description
04     {
05         get { return (String)this["Description"]; }
06         set { this["Description"] = value; }
07     }
08 }
09
```

You need to ensure that the first time each user opens the application, a text field displays the following message: "Please enter your setting." Which code segment should you insert at line 03? A.

[UserScopedSetting()][DefaultSettingValue("Please enter your setting.")]B. [UserScopedSetting()][SettingsDescription("Description: Please enter your setting.")]C. [ApplicationScopedSetting()][DefaultSettingValue("Please enter your setting.")]D. [ApplicationScopedSetting()][SettingsDescription("Description: Please enter your setting.")] Answer: A

QUESTION 52 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application uses the drag-and-drop functionality. You need to ensure that the drag-and-drop operation is stopped when a user moves the cursor outside the boundaries of the application form. Which enumeration member should you use? A. DragAction.Cancel B. DragAction.Drop C. DragDropEffects.None D. DragDropEffects.All Answer: A

QUESTION 53 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You create a custom control named Wheel. You need to ensure that the Speed property of Wheel can be animated. What should you do? A. Inherit the DependencyObject class. B. Declare the Speed property as a dependency property. C. Declare an animation of the Speed property from within the code-behind file. D. Implement the System.Windows.Media.Animation.IAnimatable interface with the Wheel class. Answer: B

QUESTION 54 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application uses the background worker process (BWP). When the user clicks a button, the background worker executes a method named DoCalculations asynchronously. You need to implement a progress bar on the user interface (UI) that informs the user of the progress of DoCalculations. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

A. Modify the Value property of the progress bar in DoCalculations. B. Modify the Value property of the progress bar in the ProgressChanged event handler of the background worker. C. Modify the Value property of the progress bar in the RunWorkerCompleted event handler of the background worker. D. Call the ReportProgress method of the background worker in DoCalculations. E. Call the ReportProgress method of the background worker in the DoWork event handler of the background worker. Answer: BD

QUESTION 55 You use Microsoft .NET Framework 4 to create a Windows Forms application. You need to allow the user interface to use the currently configured culture settings in the Control Panel. Which code segment should you use? A.

Thread.CurrentThread.CurrentUICulture = Thread.CurrentThread.CurrentCulture; B. Thread.CurrentThread.CurrentCulture = Thread.CurrentThread.CurrentUICulture; C. Thread.CurrentThread.CurrentUICulture = CultureInfo.InstalledUICulture; D.

Thread.CurrentThread.CurrentCulture = CultureInfo.InstalledUICulture; Answer: A

QUESTION 56 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application has multiple data entry windows. Each window contains controls that allow the user to type different addresses for shipping and mailing. All addresses have the same format. You need to ensure that you can reuse the controls. What should you create? A. a user control B. a data template C. a control template D. a control that inherits the Canvas class Answer: A

QUESTION 57 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application contains a set of Button controls. You need to ensure that any button that contains no content is highlighted when the mouse pointer is located over it. Which code fragment should you use? A. < Style TargetType="{x:Type Button}" >...< Setter Property="Background" Value="Yellow" / >< Style.Triggers >< MultiTrigger >< MultiTrigger.Conditions >< Condition Property="IsMouseOver" Value="True" / >< Condition Property="Content" Value="{x:Null}" / >< /MultiTrigger.Conditions >< /MultiTrigger >< /Style.Triggers >< /Style > B. < Style TargetType="{x:Type Button}" >...< Style.Triggers >< Trigger Property="IsMouseOver" Value="True" >< Setter Property="Background" Value="Yellow" / >< /Trigger >< Trigger Property="Content" Value="{ x :Null} " >< Setter Property="Background" Value="Yellow" / >< /Trigger >< /Style.Triggers >< /Style > C. < Style TargetType="{x:Type Button}" >...< Setter Property="Background" Value="Yellow" / >< Style.Triggers >< MultiTrigger >< MultiTrigger.Conditions >< Condition Property="IsHouseOver" Value="True" / >< Condition Property="Content" Value="Empty" / >< /MultiTrigger.Conditions >< /MultiTrigger >< /Style.Triggers >< /Style > D. < Style TargetType="{x:Type Button}" >...< Style.Triggers >< Trigger Property="IsMouseOver" Value="True" >< Setter Property="Background" Value="Yellow" / >< /Trigger >< Trigger

```
Property="Content" Value="Empty" >< Setter Property="Background" Value="Yellow" / >< /Trigger >< /Style.Triggers ></Style >
```

Answer: A QUESTION 58 You are developing a Windows Presentation Foundation (WPF) application to play audio files. You add a MediaElement control named mediaElement1 and a Button control named btnPlayAudio to the design surface. The MediaElement control Source attribute is set to an audio file. The LoadedBehavior attribute is set to Manual. You add the following code to the main window. void playCommand\_Executed(object sender, RoutedEventArgs e) { mediaElement1.Play(); } You set the command of the button to MediaCommands.Play. You need to ensure that the application will play the audio file when the button is pressed.

What should you add to the constructor of the main window? A. RoutedCommand playCommand = new RoutedCommand();

playCommand.CanExecuteChanged += new EventHandler(playCommand\_Executed); this.CommandBindings.Add(new CommandBinding(playCommand)); B. RoutedUICommand playCommand = new RoutedUICommand();

playCommand.CanExecuteChanged += new EventHandler(playCommand\_Executed); this.CommandBindings.Add(new CommandBinding(playCommand)); C. CommandBinding playCommand = new CommandBinding(MediaCommands.Play);

playCommand.CanExecute += new CanExecuteRoutedEventHandler(playCommand\_Executed);

this.CommandBindings.Add(playCommand); D. CommandBinding playCommand = new

CommandBinding(MediaCommands.Play); playCommand.Executed += new

ExecutedRoutedEventHandler(playCommand\_Executed); this.CommandBindings.Add(playCommand); Answer: D QUESTION 59

You are developing a Windows Presentation Foundation (WPF) application. An event triggers a workflow such that a parent control executes the event handlers before the child controls. You need to ensure that if a parent control's event handler encounters an error, the subsequent handlers are not called. What should you do? A. Use handlers for a tunneling routed event and mark the event as handled in the case of a problem.

B. Use handlers for a tunneling routed event and mark the event as handled in the finally portion of a try-catch-finally code block. C. Use handlers for a bubbling routed event and mark the event as handled in the case of a problem.

D. Use handlers for a bubbling routed event and set the Handled property of the RoutedEventArgs object to true in the catch portion of a try-catch-finally code block. Answer: D QUESTION 60 You are developing a Windows Presentation Foundation (WPF) application. You need to use XAML to create a custom control that contains two Button controls. From which base class should you inherit? A. FrameworkElement B. UIElement C. UserControl D. Button Answer: C

GreatExam offers the latest Microsoft 70-511 practice tests questions and answers in PDF & VCE. We promise 100% 70-511 exam pass or full money back (Have a try- If success, you will get a high pay job! Failed, nothing, money back!)! We provide instant download of our 70-511 dumps after payment so you can study earlier than others! 2016 Microsoft 70-511 exam dumps (All 300 Q&As) from GreatExam:

<http://www.greatexam.com/70-511-exam-questions.html> [100% Exam Pass Guaranteed!!!]