

[2016-New GreatExam Microsoft 70-341 Practice Test Free Download (176-190)

How to 100% pass 70-341 exam? GreatExam 70-341 practice test is unparalleled in quality and is 100% guaranteed to make you pass 70-341 exam. All the 70-341 prepare materials are the latest. Here are some free share of Microsoft 70-341 dumps. QUESTION 176Your network contain an Active Directory forest. The forest contains a single domain named contoso.com. The network contains a legacy mail system that uses a SMTP namespace of contoso.com.You plan to deploy Exchange Server 2013.There will be a period of interoperability while the email is migrated from the legacy system to Exchange Server 2013.During the period of interoperability, you need to ensure that all incoming email is received by an Exchange Server 2013 server, and then routed to the legacy mail system if an Exchange Server email recipient cannot be found.You configure the firewall in the perimeter network to route SMTP traffic to the Exchange Server 2013 organization.What should you do next? A. Modify the existing accepted domain for contoso.com and create a new Send connector.B. Add a new external relay accepted domain for contoso.com and create a new Send connector.C. Add a new authoritative domain for contoso.com and create a new email address policy.D. Add a new internal relay accepted domain for contoso.com and create a new email address policy. Answer: AExplanation:

[http://technet.microsoft.com/en-gb/library/bb124423\(v=exchg.150\).aspx](http://technet.microsoft.com/en-gb/library/bb124423(v=exchg.150).aspx)Step 1: Modify accepted domain for contoso.com and make it an internal relay domain.Step 2: Create a new send connector which routes mail for the contoso.com namespace to the legacy namespace -if a recipient cannot be found in the Exchange org. QUESTION 177Hotspot QuestionYou have an Exchange Server 2013 organization that contains three servers. The servers are configured as shown in the following table

Server name	Role(s)
EX01	Mailbox server Client Access server
EX02	Client Access server
EX03	Mailbox server

All inbound email messages from the Internet are routed through EX01.You plan to remove EX01 from the organization.You need to ensure that all of the functionalities of EX01 are transferred to EX02 and EX03. The solution must minimize administrative effort. Which functionality should you transfer to each server? (To answer, select the appropriate server for each functionality in the answer area.) **Answer Area** www.greatexam.com

OAB generation server:

Expansion server for DL1:

Inbound SMTP server from the Internet:

Answer: **Answer Area** www.greatexam.com

OAB generation server:

Expansion server for DL1:

Inbound SMTP server from the Internet:

QUESTION 178Hotspot QuestionYou have an Exchange Server 2013 organization that contains a database availability group (DAG) named DAG1. DAG1 contains two servers named EX01 and EX02.On EX01, you have three networks. The networks are configured as shown in the following table

Network name	Subnet	Connected to
DAG1\DAGNetwork01	192.168.1.0/24	Corporate LAN
DAG1\DAGNetwork02	10.0.0.0/24	EX02
DAG1\DAGNetwork03	10.1.0.0/24	iSCSI

You need to ensure that DAGNetwork02 is the primary replication network and DAGNetwork03 is configured for iSCSI traffic only. What two commands should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

Set-DatabaseAvailabilityGroup Set-DatabaseAvailabilityGroupNetwork Set-MailboxDatabaseCopy	-Identity DAG1\DAGNetwork02
Set-DatabaseAvailabilityGroup Set-DatabaseAvailabilityGroupNetwork Set-MailboxDatabaseCopy	-Identity DAG1\DAGNetwork03

Answer: Answer Area

Set-DatabaseAvailabilityGroup Set-DatabaseAvailabilityGroupNetwork Set-MailboxDatabaseCopy	-Identity DAG1\DAGNetwork01	-ReplicationEnabled:\$false -ReplicationEnabled:\$true	IgnoreNetwork:\$false IgnoreNetwork:\$true
Set-DatabaseAvailabilityGroup Set-DatabaseAvailabilityGroupNetwork Set-MailboxDatabaseCopy	-Identity DAG1\DAGNetwork03	-ReplicationEnabled:\$false -ReplicationEnabled:\$true	IgnoreNetwork:\$false IgnoreNetwork:\$true

QUESTION 179 Hotspot Question You have an Exchange Server 2013 organization that contains an accepted domain named contoso.com. A partner company has an Exchange Server 2013 organization named nwtraders.com. Nwtraders.com contains an SMTP server named mail.nwtraders.com. Both organizations only use certificates from the same trusted third-party certification authority (CA). You need to ensure that all email messages received from the SMTP domain named nwtraders.com are protected by using mutual TLS. What command should you run? (To answer, select the appropriate options in the answer area.)

Answer Area

Set-DeliveryAgentConnector Set-ReceiveConnector Set-TransportConfig

Answer: Answer Area

www.greatexam.com

Set-DeliveryAgentConnector Set-ReceiveConnector Set-TransportConfig	-SourceTransportServers -TlsDomainCapabilities -TLsReceiveDomainSecureList -TLsSendDomainSecureList	Contoso.com Mail.nwtraders.com nwtraders.com
---	--	--

QUESTION 180 You have an Exchange Server 2013 organization that contains 5,000 mailboxes. A user named User1 tests several Windows Phone devices. You need to ensure that User1 can connect more than 20 Windows Phone devices to his mailbox. Which cmdlet should you run? A. Set-ThrottlingPolicy B. Set-MobileMailboxPolicy C. Set-ActiveSyncMailboxPolicy D. Set-CasMailbox Answer: A Explanation: Example 1: Set-ThrottlingPolicy -EasMaxDevices 20 Example 2: New-ThrottlingPolicy "Increased ActiveSync Devices" -EasMaxDevices 20 Set-Mailbox steve -ThrottlingPolicy "Increased ActiveSync Devices" Example 3: Set-ThrottlingPolicy "Increased ActiveSync Devices" -EasMaxDevices 20

[http://technet.microsoft.com/en-gb/library/dd298094\(v=exchg.150\).aspx](http://technet.microsoft.com/en-gb/library/dd298094(v=exchg.150).aspx)

<http://www.msexchange.org/kbase/ExchangeServerTips/ExchangeServer2010/Mobility/HowtoincreasethemaximumnumberofActiveSyncDevicesforaUser.html>
<http://thoughtsofanidlemin.com/2014/01/15/eas-device-partnerships/>

<http://www.slipstick.com/exchange/cmdlets/allow-more-activesync-devices/> QUESTION 181 You deploy an Exchange Server 2013 organization to a test network for evaluation. You install the Mailbox server role and the Client Access server role on a server named ex01.contoso.com. You do not perform any other configurations. All of the ports from the Internet to ex01.contoso.com are open.

You successfully connect to ex01.contoso.com from the Internet and from the internal network. You need to identify which types of Exchange Server clients will connect successfully to the organization without any further configurations. What should you identify?

A. internal Outlook Web App connections B. Android Phones using Activesync C. Windows RT devices running the Mail app D. Windows Phones that use Exchange ActiveSync Answer: A Explanation: B Not B All Android Phones require the

AllowNonProvisionableDevices parameter set to \$True to sync successfully out of box with Exchange 2013 and this parameter is set to \$false by default C Not C All Windows RT devices running the mail App require the AllowNonProvisionableDevices parameter set to \$True to sync successfully out of box with Exchange 2013 and this parameter is set to \$false by default D Not D All Windows Phones require the AllowNonProvisionableDevices parameter set to \$True to sync successfully out of box with Exchange 2013 and this parameter is set to \$false by default The AllowNonProvisionableDevices parameter specifies whether all mobile phones can synchronize with the server running Exchange. When set to \$true, the AllowNonProvisionableDevices parameter enables all mobile phones to synchronize with the Exchange server, regardless of whether the phone can enforce all the specific settings established in

the Exchange ActiveSync policy. This also includes mobile phones managed by a separate device management system. When set to \$false, this parameter blocks mobile phones that aren't provisioned from synchronizing with the Exchange server. The default value is \$false.
[http://technet.microsoft.com/en-gb/library/bb123756\(v=exchg.141\).aspx](http://technet.microsoft.com/en-gb/library/bb123756(v=exchg.141).aspx)
<http://exchangeserverpro.com/activesync-policies-cause-test-activesyncconnectivity-to-fail/> QUESTION 182 You have an Exchange Server 2013 organization. You create a public folder. You assign an email address to the public folder. You need to ensure that only a user named User1 can add content to the public folder by using email. Which cmdlet should you run? A. Set-MailPubkFolder B. Set-PublicFolder C. Set-Mailbox D. Add-PublicFolder C MEnt Permission Answer: A Explanation: Set-MailPublicFolder This cmdlet is available in on-premises Exchange Server 2013 and in the cloud-based service. Use the Set-MailPublicFolder cmdlet to configure the mail-related settings of mail-enabled public folders. If you want to configure basic settings that aren't mail related, use the Set-PublicFolder cmdlet. EXAMPLE 1 Set-MailPublicFolder -Identity MyPublicFolder@contoso.com -AcceptMessagesOnlyFrom "User1" EXAMPLE 2 This example sets the primary SMTP address of the mail-enabled public folder MyPublicFolder@contoso.com to MyPublicFolder@fabrikam.com. Set-MailPublicFolder -Identity MyPublicFolder@contoso.com -PrimarySmtpAddress MyPublicFolder@fabrikam.com
[http://technet.microsoft.com/en-us/library/aa997560\(v=exchg.150\).aspx](http://technet.microsoft.com/en-us/library/aa997560(v=exchg.150).aspx)
[http://technet.microsoft.com/en-us/library/bb123707\(v=exchg.150\).aspx](http://technet.microsoft.com/en-us/library/bb123707(v=exchg.150).aspx)
[http://technet.microsoft.com/en-gb/library/bb397214\(v=exchg.150\).aspx](http://technet.microsoft.com/en-gb/library/bb397214(v=exchg.150).aspx)

QUESTION 183 You have an Exchange Server 2013 organization that contains 20 servers. You plan to deploy Exchange Server 2013 RTM Cumulative Update 1 (CU1) to the first Exchange server in the organization. You need to ensure that a user named ExehangeAdmin can deploy CU1 to the first server, The solution must minimize the number of permissions assigned to ExehangeAdmin. To which groups should you add ExehangeAdmin? A. Schema Admins, Domain Admins, and Enterprise Admins B. Schema Admins, Domain Admins, and Delegated Setup C. Domain Admins and Organization Management D. Enterprise Admins and Organization Management Answer: A Explanation: <http://technet.microsoft.com/en-us/exdeploy2013/Checklist?state=2419-W-CABEAaAAQAAAAUEAAQAAAAg~A>: Both Schema Admins and Enterprise Admins membership is needed to update the schema and prepare AD NOT B: Delegated Setup can be used to install the 2nd server, not the first. NOT C: Both Schema Admins and Enterprise Admins membership is needed to update the schema and prepare AD. The user account installing the server is added to the Organization Management group during installation. NOT D: Both Schema Admins and Enterprise Admins membership is needed to update the schema and prepare AD. The user account installing the server is added to the Organization Management group during installation. QUESTION 184 You have an Exchange Server 2013 organization. An Active Directory administrator is concerned about the permissions assigned to a group named Exchange Trusted Subsystem. Exchange Trusted Subsystem has a member named Exchange Windows Permissions. You need to show the Active Directory administrator all of the permissions assigned to Exchange Trusted Subsystem. What should you use? A. ADSI Edit B. Active Directory Sites and Services C. Dsget D. Active Directory Users and Computers Answer: A Explanation: [http://technet.microsoft.com/en-us/library/cc773354\(v=WS.10\).aspx](http://technet.microsoft.com/en-us/library/cc773354(v=WS.10).aspx)

QUESTION 185 Drag and Drop Question You have an Exchange Server 2013 organization. You plan to delegate the following administrative tasks:- View the status of the message queue.- Create, mount, and dismount databases.- Restore mailboxes from a recovery database,- Modify the settings of Exchange ActiveSync devices. You need to identify which role group must be used to delegate each administrative task. The solution must ensure that the role group that has the fewest administrative privileges is used. Which role groups should you identify? (To answer, drag the appropriate role groups to the correct tasks. Each role group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Role Groups	Answer Area
Discovery Management	View the status of the message queue: Role group
Help Desk	Create, mount, and dismount databases: Role group
Organization Management	Restore mailboxes from a recovery database: Role group
Recipient Management	Modify the settings of Exchange ActiveSync devices: Role group
Server Management	
View-Only Organization Management	


www.greatexam.com

Answer:

Role Groups	Answer Area
Discovery Management	View the status of the message queue: View-Only Organization Management
Help Desk	Create, mount, and dismount databases: Server Management
Organization Management	Restore mailboxes from a recovery database: Organization Management
Recipient Management	Modify the settings of Exchange ActiveSync devices: Recipient Management
Server Management	
View-Only Organization Management	

www.greatexam.com

QUESTION 186 Hotspot Question Your network contains three Exchange Server 2013 servers that have the Client Access server role installed. Each server is configured as a POP3 server and an IMAP4 server. You deploy the Network Load Balancing (NLB) feature on the servers and configure NLB as shown in the exhibit (Click the Exhibit button).




Use the drop-down menus to select the answer choice that completes each statement

Answer Area

If a client has an existing connection to 10.10.0.100:443, subsequent connections will be **[answer choice]**


Connections that use **[answer choice]** will NOT be load balanced by NLB.



Answer: Answer Area

If a client has an existing connection to 10.10.0.100:443, subsequent connections will be **[answer choice]**


Connections that use **[answer choice]** will NOT be load balanced by NLB.



QUESTION 187 Hotspot Question You have an Exchange Server 2013 organization that contains three moderated distribution groups named DG1, DG2, and DG3. DG3 is a member of DG2. You need to exclude from moderation the email messages sent from the members of DG3 to the members of DG1. The solution must maintain moderation for the email messages sent from all other users. What command should you run? (To answer, select the appropriate options in the answer area.)


Answer Area

Set-DistributionGroup -Identity



Answer: Answer Area

Set-DistributionGroup -Identity



QUESTION 188 You have an Exchange Server organization. The organization contains a server named EX01 that has Exchange Server 2010 installed and a server named EX02 that has Exchange Server 2013 installed. Your mailbox is hosted on EX01. You need

to access the Exchange Admin Center (EAC). Which URL should you use? A. <https://EX01/ecp?ExchClientVer=14> B. <https://EX02/ecp?ExchClientVer=15> C. <https://EX02/eac?ExchClientVer=15> D. <https://EX01/ecp?ExchClientVer=15> Answer: B
Explanation: <http://www.cgoosen.com/2013/07/how-to-access-exchange-admin-center-eac-in-exchange-2013-during-coexistence/>
<http://consulting.risualblogs.com/blog/2013/06/26/exchange-2013-coexistence-ecp-redirects-to-2010-ecp-2/>
<http://msexchange guru.com/2013/01/16/eac-exchange-2013/>
<http://blogs.technet.com/b/meamcs/archive/2013/05/04/exchange-2013-coexistence-ecp-your-mailbox-can-t-be-accessed-using-the-address-you-entered-please-obtain-the-correct-address.aspx>

QUESTION 189 You have an Exchange Server 2013 organization. The organization contains four servers in the same Active Directory site. The servers are configured as shown in the following table. EXB and EX4 are members of a database availability group (DAG) named DAG1. All users use Microsoft Outlook 2013 to connect to their mailbox. You need to recommend a client access solution to ensure that all of the users can connect to their mailbox if EX1 or EX2 fails. What should you recommend?

Server name	Role
EX1	Client Access server
EX2	Client Access server
EX3	Mailbox server
EX4	Mailbox server

A. Add a layer 4 hardware load balancer that balances RPC traffic. B. Add a layer 7 hardware load balancer that balances the traffic on port 443. C. Add a layer 7 hardware load balancer that balances RPC traffic. D. Replicate all of the databases in DAG1 to both DAG1 members. Answer: B
Explanation: In Exchange 2013, RPC over TCP has been disabled. All Outlook communications are now through RPC over HTTP (Outlook Anywhere). This unifies the CAS protocol methods and provides a stable and reliable connectivity network between clients and server and between CAS and Mailbox Server. It also reduces the number of namespaces required. It also eliminates end user interruptions. Hence moving mailboxes around in DAG and moving mailboxes between mailbox databases are now easy. <http://blog.loadbalancer.org/load-balancing-exchange-2013/>
<http://windowsitpro.com/blog/exchange-2013-dumps-cas-arrays>

QUESTION 190 Your company has a main office and three branch offices. The main office is located in Austin. The branch offices are located in Denver, San Diego, and Chicago. The network contains an Active Directory forest. The forest contains a single domain. Each office is configured as an Active Directory site. The site in Austin contains four domain controllers that run Windows Server 2008 R2 and are configured as global catalog servers. The sites in Denver, San Diego, and Chicago each contain a read-only domain controller (RODC) that runs Windows Server 2008 R2. No other domain controllers exist on the network. You plan to deploy an Exchange Server 2013 organization. Exchange Server 2013 servers will be deployed in the Austin, Denver, and San Diego sites. Users from the Chicago site will access their mailbox remotely. You need to recommend changes to the Active Directory infrastructure to support the planned deployment of Exchange Server 2013. What should you recommend? A. Replace the RODCs in the Denver and San Diego sites with domain controllers that are configured as global catalog servers. B. Configure the RODCs in the Denver and San Diego sites as read-only global catalog servers. C. Configure Active Directory automatic site coverage for the Chicago site. D. Upgrade all of the RODCs to Windows Server 2012. Answer: A
Explanation: <http://technet.microsoft.com/en-us/library/aa996719.aspx> There must be a writable copy of the global catalog at each site where an Exchange 2013 server is to be installed. Always up-to-date GreatExam 70-341 VCE - everything you need for your Microsoft 70-341 exam to pass. Our Microsoft 70-341 software allows you to practise exam dumps in real 70-341 exam environment. Welcome to choose. <http://www.greatexam.com/70-341-exam-questions.html>